

# MSP Crime Laboratory - Quality Assurance Manual

## MSP Crime Lab Testimony Review Form (page 1 of 2)

Witness: Rebecca Pontes Date: Nov. 1, 2012  
Evaluator: Anthony D. Gulluni Lab #: A11-1619-24  
Prosecuting Attorney: Anthony D. Gulluni  
Defense Attorney: Michael Hickson, Terrence Murphy  
Judge: Bertha Josephson  
County: Hampton Superior/District: Superior  
Commonwealth vs. [REDACTED]

Time on Stand:  
Direct 30 min. Cross 15 min. Redirect 1 min. Recross 1 min.

Type: ☐ Arson/Explosives ☐ Crime Scene ☐ Criminalistics (specify) \_\_\_\_\_

☐ DNA ☒ Drugs ☐ Evidence Handling ☐ OUI ☐ Toxicology

### 1) Appearance/Demeanor

Clothing	<u>Good</u>	
Facial Expression	<u>"</u>	
Posture	<u>"</u>	
Eye Contact	<u>"</u>	
Poise	<u>"</u>	
Confidence	<u>"</u>	
Gestures	<u>"</u>	
Voice	<u>"</u>	
Neatness	<u>"</u>	

# MSP Crime Laboratory - Quality Assurance Manual

## MSP Crime Lab Testimony Review Form (page 2 of 2)

### II) Responsiveness

Easy to Understand	Good
Speed of Response	"
Briefness / Brevity	"
Volunteer Information	"
Request Clarification	"

### III) Technical Knowledge

Technical accuracy	Good
Technical persuasiveness	"
Limited to area of expertise	"
Convey scientific concepts in understandable terms	"
Qualified as expert	yes
Opinions rendered	yes
Defense of reported conclusions	Good

Comments:

Witness was accommodating as far as availability; testimony was solid and delivered well, especially in light of somewhat aggressive cross-examination

Date of Witness/Reviewer meeting: \_\_\_\_\_

Witness's Comments: \_\_\_\_\_

Technical Manager(s) Signature & Date: \_\_\_\_\_